



Seamlessly transfer or fulfill prescriptions for medication abortion

A road map for all pharmacists

Pharmacist who refuses to dispense the medications to end a pregnancy on moral grounds or personal beliefs proactively identifies another colleague in the community who can provide service in a timely manner



Patient presents with a prescription for Mifegymiso®

Pharmacist who refuses respectfully refers patient to colleague without disrupting access to care

Designated pharmacist: Pharmacist completes assessment in private counselling area – Part I [Pharmacist Checklist for Medical Abortion](#)



Notifies patient of coverage that is available and bills insurance as appropriate [Coverage Details by Province](#)

Fills and/or orders Mifegymiso® to arrive at the pharmacy within a timeframe that meets the patient's needs



Dispensing of medications: Consider including [Patient Information Booklet](#)



Patient counselling and supportive care using sections II and III of [Pharmacist Checklist for Medical Abortion](#)

Follow-up plan options:

- Pharmacist follows up in 2-3 days with patient
- Prescriber follows up in 7-14 days with patient
- Patient takes a pregnancy test at home in 2-4 weeks



REFERENCES

1. Alberta College of Pharmacy. *Conscientious objection comes with responsibilities* [internet]. February 23, 2022. Available from: <https://abpharmacy.ca/articles/conscientious-objection-comes-responsibilities>.
2. Soon J, Rebić N, editors. *Mifegymiso: pharmacist checklist* [PDF file]. February 2, 2018. Available from: <https://www.pharmacists.ca/cpha-ca/assets/File/education-practice-resources/WebinarSlideDeck/2018/Resource1-MifegymisoPharmacistChecklist-March22.pdf>.